



## LADDER RACKS

Ergonomic Ladder Racks make loading and unloading easier.



### TOUGH

Military grade aluminum extrusion, high density plastic and stainless steel components ensure no corrosion over the lifetime of the rack.



### QUIET

Aerodynamic design with minimal wind noise.



### SAFE

No metal contact to ladder, leading to longer life of ladders with less chance of fiberglass splinters.

## LADDER RACKS

**APPLICATION GUIDE** ..... P. 186

**BOX TRUCK, STEP VAN & TRAILER** ..... P. 188

**CARGO +** ..... P. 212

**CHEVROLET**  
EXPRESS ..... P. 188

**FORD**  
TRANSIT ..... P. 190  
TRANSIT CONNECT ..... P. 193

**GMC**  
SAVANA ..... P. 195

**MERCEDES-BENZ**  
METRIS ..... P. 197  
SPRINTER ..... P. 198

**NISSAN**  
NV ..... P. 201  
NV200 ..... P. 204

**RAM**  
PROMASTER ..... P. 205  
PROMASTER CITY ..... P. 208

Ranger Design ladder racks make loading and unloading ladders an easy operation. Ranger Design offers drop-down ladder racks for high roof vans, extra tough racks capable of carrying 32" ladders on compact vans, interior ladder carriers and many other options for different applications.

**Please take note that all our ladder racks are powder-coated white.**

# Application Guide



Type	Box Truck, Step Van & Trailer	Chevrolet Express	Ford Transit 130"	Ford Transit 148"	Ford Transit 148" Ext.	Ford Transit Connect	GMC Savana	Mercedes-Benz Metris 126"
Access Pro, Inside Ladder Carrier	1050-FS <b>P. 188</b>	1050-FS <b>P. 188</b>	1050-FS <b>P. 190</b>	1050-FS <b>P. 190</b>	1050-FS <b>P. 190</b>		1050-FS <b>P. 195</b>	
Cargo rack		1505-GS <b>P. 189</b>	1505-FTR <b>P. 191</b>	1505-FTL <b>P. 191</b>	1505-FTL <b>P. 191</b>	1505-TC <b>P. 193</b>	1505-GS <b>P. 195</b>	1505-MM <b>P. 197</b>
		1505-GS3 <b>P. 189</b>	1505-FTR3 <b>P. 191</b>	1505-FTL3 <b>P. 191</b>	1505-FTL3 <b>P. 191</b>		1505-GS3 <b>P. 195</b>	
Combination ladder rack		1525-FS <b>P. 189</b>	1525-FTR <b>P. 192</b>	1525-FTL <b>P. 192</b>	1525-FTL <b>P. 192</b>	1525-TC <b>P. 194</b>	1525-FS <b>P. 196</b>	1525-MM <b>P. 197</b>
		1525-FS3 <b>P. 190</b>	1525-FTR3 <b>P. 192</b>	1525-FTL3 <b>P. 192</b>	1525-FTL3 <b>P. 192</b>	1525-TCX <b>P. 194</b>	1525-FS3 <b>P. 196</b>	
Double clamp ladder rack		1530-FS <b>P. 190</b>	1530-FTR <b>P. 192</b>	1530-FTL <b>P. 192</b>	1530-FTL <b>P. 192</b>	1530-TC <b>P. 194</b>	1530-FS <b>P. 196</b>	1530-MM <b>P. 198</b>
		1530-FS3 <b>P. 190</b>	1530-FTR3 <b>P. 192</b>	1530-FTL3 <b>P. 192</b>	1530-FTL3 <b>P. 192</b>	1530-TCX <b>P. 194</b>	1530-FS3 <b>P. 196</b>	
Driver Side Retrofit kit for Max Rack			15-1815 <b>P. 191</b>	15-1815 <b>P. 191</b>	15-1815 <b>P. 191</b>			
Ladder rack accessory		1127 <b>P. 188</b>	1127 <b>P. 190</b>	1127 <b>P. 190</b>	1127 <b>P. 190</b>	1127 <b>P. 193</b>	1127 <b>P. 195</b>	1127 <b>P. 197</b>
Max Rack, Double side ladder rack			1830-FTR <b>P. 193</b>	1830-FTL <b>P. 193</b>	1830-FTL <b>P. 193</b>			
Max Rack, Single side ladder rack			1820-FTR <b>P. 193</b>	1820-FTL <b>P. 193</b>	1820-FTL <b>P. 193</b>			
Passenger Side Retrofit kit for Max Rack			15-1810 <b>P. 191</b>	15-1810 <b>P. 191</b>	15-1810 <b>P. 191</b>			
Single clamp ladder rack		1520-FS <b>P. 189</b>	1520-FTR <b>P. 192</b>	1520-FTL <b>P. 192</b>	1520-FTL <b>P. 192</b>	1520-TC <b>P. 194</b>	1520-FS <b>P. 196</b>	1520-MM <b>P. 197</b>
Standard ladder rack		1510-FS <b>P. 189</b>	1510-FTR <b>P. 191</b>	1510-FTL <b>P. 191</b>	1510-FTL <b>P. 191</b>	1510-TC <b>P. 194</b>	1510-FS <b>P. 195</b>	1510-MM <b>P. 197</b>
		1510-FS3 <b>P. 189</b>	1510-FTR3 <b>P. 192</b>	1510-FTL3 <b>P. 192</b>	1510-FTL3 <b>P. 192</b>		1510-FS3 <b>P. 196</b>	
Third bar crossbow kit for Max Rack			15-1805 <b>P. 191</b>	15-1805 <b>P. 191</b>	15-1805 <b>P. 191</b>			

<b>Mercedes-Benz Metris 135''</b>	1050-FS <b>P.198</b>	1050-FS <b>P.201</b>	1050-FS <b>P.201</b>			1050-FS <b>P.205</b>	1050-FS <b>P.205</b>	1050-FS <b>P.205</b>		1050-FS <b>P.205</b>
1505-MM <b>P.197</b>	1505-DH <b>P.199</b>	1505-NL <b>P.202</b>	1505-NH <b>P.202</b>	1505-NS <b>P.204</b>	1505-PH <b>P.206</b>	1505-PH <b>P.206</b>	1505-PH <b>P.206</b>	1505-PH <b>P.206</b>	1505-PH <b>P.206</b>	1505-PC <b>P.208</b>
1525-MM <b>P.197</b>	1525-DH <b>P.200</b>	1525-NL <b>P.202</b>		1525-NS <b>P.204</b>	1525-PHS <b>P.207</b>	1525-PHM <b>P.207</b>	1525-PHL <b>P.207</b>	1525-PHX <b>P.207</b>		1525-PC <b>P.209</b>
1530-MM <b>P.198</b>	1530-DH <b>P.200</b>	1530-NL <b>P.203</b>	1530-NL3 <b>P.203</b>	1530-NSX <b>P.205</b>	1530-PHS3 <b>P.207</b>	1530-PHM3 <b>P.207</b>	1530-PHL3 <b>P.207</b>	1530-PHX3 <b>P.207</b>	1530-PCX <b>P.209</b>	
	15-1815 <b>P.199</b>	15-1815 <b>P.201</b>	15-1815 <b>P.201</b>		15-1815 <b>P.206</b>	15-1815 <b>P.206</b>	15-1815 <b>P.206</b>	15-1815 <b>P.206</b>		1530-PC <b>P.209</b>
1127 <b>P.197</b>	1127 <b>P.198</b>	1127 <b>P.201</b>	1127 <b>P.201</b>	1127 <b>P.204</b>	1127 <b>P.205</b>	1127 <b>P.205</b>	1127 <b>P.205</b>	1127 <b>P.205</b>	1127 <b>P.205</b>	1127 <b>P.208</b>
	1830-DH <b>P.200</b>		1830-NH <b>P.203</b>		1830-PHS <b>P.208</b>	1830-PHM <b>P.208</b>	1830-PHL <b>P.208</b>	1830-PHX <b>P.208</b>		
	1820-DH <b>P.200</b>		1820-NH <b>P.203</b>		1820-PHS <b>P.208</b>	1820-PHM <b>P.208</b>	1820-PHL <b>P.208</b>	1820-PHX <b>P.208</b>		
	15-1810 <b>P.198</b>	15-1810 <b>P.201</b>	15-1810 <b>P.201</b>		15-1810 <b>P.206</b>	15-1810 <b>P.206</b>	15-1810 <b>P.206</b>	15-1810 <b>P.206</b>		
1520-MM <b>P.197</b>	1520-DH <b>P.199</b>	1520-NL <b>P.202</b>		1520-NS <b>P.204</b>	1520-PHS <b>P.207</b>	1520-PHM <b>P.207</b>	1520-PHL <b>P.207</b>	1520-PHX <b>P.207</b>	1520-PC <b>P.209</b>	
1510-MM <b>P.197</b>	1510-DH <b>P.199</b>	1510-NL <b>P.202</b>	1510-NH <b>P.202</b>	1510-NS <b>P.204</b>	1510-PH <b>P.206</b>	1510-PH <b>P.206</b>	1510-PH <b>P.206</b>	1510-PH <b>P.206</b>	1510-PC <b>P.209</b>	
	15-1805 <b>P.198</b>	15-1805 <b>P.201</b>	15-1805 <b>P.201</b>		15-1805 <b>P.206</b>	15-1805 <b>P.206</b>	15-1805 <b>P.206</b>	15-1805 <b>P.206</b>		

The weight capacity varies according to each vehicle's capabilities.  
Please consult your vehicle's manual for weight capacity.

# LADDER RACKS

LADDER RACKS



BOX TRUCK, STEP VAN & TRAILER



Box Truck, Step Van & Trailer

Access Pro, Inside Ladder Carrier

## Aluminum

<b>1050-FS</b>	10+, 14+	Standard	96" L	—	9 lbs	— 1 hr



CHEVROLET EXPRESS



Chevrolet Express

Access Pro, Inside Ladder Carrier

## Aluminum

<b>1050-FS</b>	135", 155"	Standard	96" L	—	9 lbs	— 1 hr



Chevrolet Express

Ladder rack accessory

## Aluminum

<b>1127</b>	135", 155"	Standard	23" W	—	18 lbs	— 0.5 hr



Chevrolet Express

## Cargo rack

**Aluminum**

**1505-GS** 135", 155" Standard 68" W 480 lbs 29.2 lbs — 0.8 hr



Chevrolet Express

## Standard ladder rack

**Aluminum**

**1510-FS3** 135", 155" Standard 68" W 600 lbs 29 lbs — 1.3 hrs



Chevrolet Express

## Cargo rack

**Aluminum**

**1505-GS3** 135", 155" Standard 68" W 720 lbs 35 lbs — 1.2 hrs



Chevrolet Express

## Single clamp ladder rack

**Aluminum**

**1520-FS** 135", 155" Standard 68" W 400 lbs 28 lbs 32 ft 1.2 hrs



Chevrolet Express

## Standard ladder rack

**Aluminum**

**1510-FS** 135", 155" Standard 68" W 400 lbs 21 lbs — 0.9 hr



Chevrolet Express

## Combination ladder rack

**Aluminum**

**1525-FS** 135", 155" Standard 68" W 400 lbs 63 lbs 32 ft 1.7 hrs

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

189

# LADDER RACKS

## LADDER RACKS



Chevrolet Express  
Combination ladder rack

### Aluminum



**1525-FS3** 135", 155" Standard 68" W 600 lbs 57 lbs 32 ft 2.1 hrs



Chevrolet Express  
Double clamp ladder rack

### Aluminum



**1530-FS** 135", 155" Standard 68" W 400 lbs 54 lbs 32 ft 1.7 hrs



Chevrolet Express  
Double clamp ladder rack

### Aluminum



**1530-FS3** 135", 155" Standard 68" W 600 lbs 58 lbs 32 ft 2.1 hrs



FORD  
**TRANSIT**



Ford Transit  
Access Pro, Inside Ladder Carrier

### Aluminum



**1050-FS** 130", 148", 148" Ext Low, Medium, High 96" L — 9 lbs — 1 hr



Ford Transit  
Ladder rack accessory

### Aluminum



**1127** 130", 148", 148" Ext Low, Medium, High 23" W — 18 lbs — 0.5 hr



Ford Transit

Third bar crossbow kit for Max Rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>15-1805</b>	130", 148", 148" Ext	Low, Medium, High	72" W	200 lbs	10 lbs	—	0.5 hr



Ford Transit

Passenger Side Retrofit kit for Max Rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>15-1810</b>	130", 148", 148" Ext	Low, Medium, High	—	—	57 lbs	—	1.6 hrs



Ford Transit

Driver Side Retrofit kit for Max Rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>15-1815</b>	130", 148", 148" Ext	Low, Medium, High	—	—	57 lbs	—	1.6 hrs



Ford Transit

Cargo rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>1505-FTR</b>	130"	Low, Medium	72" W	480 lbs	18 lbs	—	0.8 hr
<b>1505-FTL</b>	148", 148" Ext	Low, Medium, High	72" W	480 lbs	18 lbs	—	0.8 hr



Ford Transit

Cargo rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>1505-FTR3</b>	130"	Low, Medium	72" W	720 lbs	27 lbs	—	1.2 hrs
<b>1505-FTL3</b>	148", 148" Ext	Low, Medium, High	72" W	720 lbs	27 lbs	—	1.3 hrs



Ford Transit

Standard ladder rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>1510-FTR</b>	130"	Low, Medium	72" W	400 lbs	21 lbs	—	0.8 hr
<b>1510-FTL</b>	148", 148" Ext	Low, Medium, High	72" W	400 lbs	21 lbs	—	0.8 hr

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS



Ford Transit

Standard ladder rack

## Aluminum

<b>1510-FTR3</b>	130"	Low, Medium	72" W	—	60 lbs	—	1.2 hrs
<b>1510-FTL3</b>	148", 148" Ext	Low, Medium, High	72" W	—	52 lbs	—	1.2 hrs



Ford Transit

Single clamp ladder rack

## Aluminum

<b>1520-FTR</b>	130"	Low, Medium	72" W	400 lbs	34 lbs	32 ft	1.2 hrs
<b>1520-FTL</b>	148", 148" Ext	Low, Medium, High	72" W	400 lbs	34 lbs	32 ft	1.2 hrs



Ford Transit

Combination ladder rack

## Aluminum

<b>1525-FTR</b>	130"	Low, Medium	72" W	400 lbs	70 lbs	32 ft	1.7 hrs
<b>1525-FTL</b>	148", 148" Ext	Low, Medium, High	72" W	400 lbs	70 lbs	32 ft	1.7 hrs



Ford Transit

Combination ladder rack

## Aluminum

<b>1525-FTR3</b>	130"	Low, Medium	72" W	600 lbs	57 lbs	32 ft	2.1 hrs
<b>1525-FTL3</b>	148", 148" Ext	Low, Medium, High	72" W	600 lbs	57 lbs	32 ft	2.1 hrs



Ford Transit

Double clamp ladder rack

## Aluminum

<b>1530-FTR</b>	130"	Low, Medium	72" W	400 lbs	50 lbs	32 ft	1.7 hrs
<b>1530-FTL</b>	148", 148" Ext	Low, Medium, High	72" W	400 lbs	50 lbs	32 ft	1.7 hrs



Ford Transit

Combination ladder rack

## Aluminum

<b>1530-FTR3</b>	130"	Low, Medium	72" W	600 lbs	58 lbs	32 ft	2.1 hrs
<b>1530-FTL3</b>	148", 148" Ext	Low, Medium, High	72" W	600 lbs	58 lbs	32 ft	2.1 hrs



Ford Transit

Max Rack, Single side ladder rack

Aluminum							
	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>1820-FTR</b>	130"	Low, Medium	72" W	100 lbs	82 lbs	24 ft	3.2 hrs
<b>1820-FTL</b>	148", 148" Ext	Low, Medium, High	72" W	100 lbs	82 lbs	32 ft	3.2 hrs



Ford Transit

Max Rack, Double side ladder rack

Aluminum							
	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>1830-FTR</b>	130"	Low, Medium	72" W	200 lbs	139 lbs	24 ft	4.4 hrs
<b>1830-FTL</b>	148", 148" Ext	Low, Medium, High	72" W	200 lbs	139 lbs	32 ft	4.4 hrs

**AERODYNAMIC DESIGN WITH MINIMAL WIND NOISE**

## FORD TRANSIT CONNECT



Ford Transit Connect

Ladder rack accessory

Aluminum							
	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>1127</b>	105", 120.5"	Standard	23" W	—	18 lbs	—	0.5 hr



Ford Transit Connect

Cargo rack

Aluminum							
	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time	
<b>1505-TC</b>	105", 120.5"	Standard	60" W	480 lbs	18 lbs	—	0.8 hr

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS



Ford Transit Connect

Standard ladder rack

**Aluminum**



**1510-TC** 105", 120.5" Standard 60" W 400 lbs 18 lbs — 0.9 hr



Ford Transit Connect

Combination ladder rack

**Aluminum**



**1525-TCX** 105", 120.5" Standard 60" W 400 lbs 52 lbs 28 ft 1.7 hrs



Ford Transit Connect

Single clamp ladder rack

**Aluminum**



**1520-TC** 105", 120.5" Standard 60" W 400 lbs 28 lbs 24 ft 1.2 hrs



Ford Transit Connect

Double clamp ladder rack

**Aluminum**



**1530-TC** 105", 120.5" Standard 60" W 400 lbs 36 lbs 24 ft 1.7 hrs



Ford Transit

Combination ladder rack

**Aluminum**



**1525-TC** 105", 120.5" Standard 60" W 400 lbs 47 lbs 24 ft 1.7 hrs



Ford Transit Connect

Double clamp ladder rack

**Aluminum**



**1530-TCX** 105", 120.5" Standard 60" W 400 lbs 36 lbs 28 ft 1.7 hrs



GMC  
**SAVANA**



GMC Savana

Access Pro, Inside Ladder Carrier

**Aluminum**



**1050-FS** 135", 155" Standard 96" L — 9 lbs — 1 hr



GMC Savana

Ladder rack accessory

**Aluminum**



**1127** 135", 155" Standard 23" W — 18 lbs — 0.5 hr



GMC Savana

Cargo rack

**Aluminum**



**1505-GS** 135", 155" Standard 68" W 480 lbs 25 lbs — 0.8 hr



GMC Savana

Cargo rack

**Aluminum**



**1505-GS3** 135", 155" Standard 68" W 720 lbs 35 lbs — 1.2 hrs



GMC Savana

Standard ladder rack

**Aluminum**



**1510-FS** 135", 155" Standard 68" W 400 lbs 21 lbs — 0.9 hr

**LEGEND**



Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

195

# LADDER RACKS



GMC Savana

Standard ladder rack

## Aluminum



**1510-FS3** 135", 155" Standard 68" W 600 lbs 35 lbs — 1.3 hrs



GMC Savana

Combination ladder rack

## Aluminum



**1525-FS3** 135", 155" Standard 68" W 600 lbs 57 lbs 32 ft 2.1 hrs



GMC Savana

Single clamp ladder rack

## Aluminum



**1520-FS** 135", 155" Standard 68" W 400 lbs 28 lbs 32 ft 1.2 hrs



GMC Savana

Double clamp ladder rack

## Aluminum



**1530-FS** 135", 155" Standard 68" W 400 lbs 54 lbs 32 ft 1.7 hrs



GMC Savana

Combination ladder rack

## Aluminum



**1525-FS** 135", 155" Standard 68" W 400 lbs 63 lbs 32 ft 1.7 hrs



GMC Savana

Double clamp ladder rack

## Aluminum



**1530-FS3** 135", 155" Standard 68" W 600 lbs 58 lbs 32 ft 2.1 hrs



MERCEDES-BENZ  
**METRIS**



Mercedes-Benz Metris

Standard ladder rack

**Aluminum**



**1510-MM** 126", 135" Standard 64" W 400 lbs 33 lbs — 0.9 hr



Mercedes-Benz Metris

Ladder rack accessory

**Aluminum**



**1127** 126", 135" Standard 23" W — 18 lbs — 0.5 hr



Mercedes-Benz Metris

Single clamp ladder rack

**Aluminum**



**1520-MM** 126", 135" Standard 64" W 400 lbs 43 lbs 28 ft 1.2 hrs



Mercedes-Benz Metris

Cargo rack

**Aluminum**



**1505-MM** 126", 135" Standard 64" W 480 lbs 33 lbs — 0.8 hr



Mercedes-Benz Metris

Combination ladder rack

**Aluminum**



**1525-MM** 126", 135" Standard 64" W 400 lbs 64 lbs 28 ft 1.7 hrs

**LEGEND**



Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS



Mercedes-Benz Metris

Double clamp ladder rack

## Aluminum



**1530-MM** 126", 135" Standard 64" W 400 lbs 56 lbs 28 ft 1.7 hrs



Mercedes-Benz Sprinter

Ladder rack accessory

## Aluminum



**1127** 144", 170", 170" Ext Low, High 23" W — 18 lbs — 0.5 hr



MERCEDES-BENZ  
SPRINTER



Mercedes-Benz Sprinter

Third bar crossbow kit for Max Rack

## Aluminum



**15-1805** 144", 170", 170" Ext Low, High 72" W 200 lbs 10 lbs — 0.5 hr




Mercedes-Benz Sprinter

Access Pro, Inside Ladder Carrier

## Aluminum



**1050-FS** 144", 170", 170" Ext Low, High 96" L — 9 lbs — 1 hr



Mercedes-Benz Sprinter

Passenger Side Retrofit kit for Max Rack

## Aluminum



**15-1810** 144", 170", 170" Ext Low, High — — 57 lbs — 1.6 hrs



Mercedes-Benz Sprinter

Driver Side Retrofit kit for Max Rack

**Aluminum**

<b>15-1815</b>	144", 170", 170" Ext	Low, High	—	—	57 lbs	—	1.6 hrs
----------------	-------------------------	-----------	---	---	--------	---	---------



Mercedes-Benz Sprinter

Standard ladder rack

**Aluminum**

<b>1510-DH</b>	144", 170", 170" Ext	High	68" W	400 lbs	21 lbs	—	0.9 hr
----------------	-------------------------	------	-------	---------	--------	---	--------



Mercedes-Benz Sprinter

Cargo rack

**Aluminum**

<b>1505-DH</b>	144", 170", 170" Ext	High	68" W	480 lbs	20 lbs	—	0.8 hr
----------------	-------------------------	------	-------	---------	--------	---	--------



Mercedes-Benz Sprinter

Standard ladder rack

**Aluminum**

<b>1510-DH3</b>	144", 170", 170" Ext	High	68" W	600 lbs	30 lbs	—	1.3 hrs
-----------------	-------------------------	------	-------	---------	--------	---	---------



Mercedes-Benz Sprinter

Cargo rack

**Aluminum**

<b>1505-DH3</b>	144", 170", 170" Ext	High	68" W	720 lbs	53.4 lbs	—	1.2 hrs
-----------------	-------------------------	------	-------	---------	----------	---	---------



Mercedes-Benz Sprinter

Single clamp ladder rack

**Aluminum**

<b>1520-DH</b>	144", 170", 170" Ext	High	68" W	400 lbs	30 lbs	32 ft	1.2 hrs
----------------	-------------------------	------	-------	---------	--------	-------	---------

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS



Mercedes-Benz Sprinter  
Combination ladder rack

## Aluminum



<b>1525-DH</b>	144", 170", 170" Ext	High	68" W	400 lbs	48 lbs	32 ft	1.7 hrs
----------------	-------------------------	------	-------	---------	--------	-------	---------



Mercedes-Benz Sprinter  
Combination ladder rack

## Aluminum



<b>1525-DH3</b>	144", 170", 170" Ext	High	68" W	600 lbs	57 lbs	32 ft	2.1 hrs
-----------------	-------------------------	------	-------	---------	--------	-------	---------



Mercedes-Benz Sprinter  
Double clamp ladder rack

## Aluminum



<b>1530-DH</b>	144", 170", 170" Ext	High	68" W	400 lbs	49 lbs	32 ft	1.7 hrs
----------------	-------------------------	------	-------	---------	--------	-------	---------




Mercedes-Benz Sprinter  
Double clamp ladder rack

## Aluminum



<b>1530-DH3</b>	144", 170", 170" Ext	High	68" W	600 lbs	58 lbs	32 ft	2.1 hrs
-----------------	-------------------------	------	-------	---------	--------	-------	---------



Mercedes-Benz Sprinter  
Max Rack, Single clamp ladder rack

## Aluminum



<b>1820-DH</b>	144", 170", 170" Ext	High	72" W	—	82 lbs	32 ft	3.2 hrs
----------------	-------------------------	------	-------	---	--------	-------	---------



Mercedes-Benz Sprinter  
Max Rack, Double side ladder rack

## Aluminum



<b>1830-DH</b>	144", 170", 170" Ext	High	72" W	—	139 lbs	32 ft	4.4 hrs
----------------	-------------------------	------	-------	---	---------	-------	---------


**NISSAN  
NV**


Nissan NV

Access Pro, Inside Ladder Carrier

**Aluminum**

<b>1050-FS</b>	146"	Low, High	96" L	—	9 lbs	—	1 hr
----------------	------	-----------	-------	---	-------	---	------



Nissan NV

Ladder rack accessory

**Aluminum**

<b>1127</b>	146"	Low, High	23" W	—	18 lbs	—	0.5 hr
-------------	------	-----------	-------	---	--------	---	--------




Nissan NV

Third bar crossbow kit for Max Rack

**Aluminum**

<b>15-1805</b>	146"	Low, High	72" W	200 lbs	10 lbs	—	0.5 hr
----------------	------	-----------	-------	---------	--------	---	--------



Nissan NV

Passenger Side Retrofit kit for Max Rack

**Aluminum**

<b>15-1810</b>	146"	Low, High	—	—	57 lbs	—	1.6 hrs
----------------	------	-----------	---	---	--------	---	---------



Nissan NV

Driver Side Retrofit kit for Max Rack

**Aluminum**

<b>15-1815</b>	146"	Low, High	—	—	57 lbs	—	1.6 hrs
----------------	------	-----------	---	---	--------	---	---------

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS



Nissan NV

Cargo rack

**Aluminum**

<b>1505-NL</b>	146"	Low	72" W	480 lbs	33 lbs	—	0.8 hr
<b>1505-NH</b>	146"	High	72" W	480 lbs	28 lbs	—	0.8 hr



Nissan NV

Standard ladder rack

**Aluminum**

<b>1510-NL3</b>	146"	Low	72" W	600 lbs	43 lbs	—	1.3 hrs
<b>1510-NH3</b>	146"	High	72" W	600 lbs	39 lbs	—	1.3 hrs



Nissan NV

Cargo rack

**Aluminum**

<b>1505-NL3</b>	146"	Low	72" W	720 lbs	43 lbs	—	1.22 hrs
<b>1505-NH3</b>	146"	High	72" W	720 lbs	37 lbs	—	1.22 hrs



Nissan NV

Single clamp ladder rack

**Aluminum**

<b>1520-NL</b>	146"	Low	72" W	400 lbs	42 lbs	32 ft	1.2 hrs



Nissan NV

Standard ladder rack

**Aluminum**

<b>1510-NL</b>	146"	Low	72" W	400 lbs	33 lbs	—	0.9 hr
<b>1510-NH</b>	146"	High	72" W	400 lbs	28 lbs	—	0.9 hr



Nissan NV

Combination ladder rack

**Aluminum**

<b>1525-NL</b>	146"	Low	72" W	400 lbs	61 lbs	32 ft	1.7 hrs



Nissan NV

Combination ladder rack

**Aluminum**

<b>1525-NL3</b>	146"	Low	72" W	600 lbs	71 lbs	32 ft	2.1 hrs
-----------------	------	-----	-------	---------	--------	-------	---------



Nissan NV

Max Rack, Single side ladder rack

**Aluminum**

<b>1820-NH</b>	146"	High	72" W	—	82 lbs	24 ft	3.2 hrs
----------------	------	------	-------	---	--------	-------	---------



Nissan NV

Double clamp ladder rack

**Aluminum**

<b>1530-NL</b>	146"	Low	72" W	400 lbs	53 lbs	32 ft	1.7 hrs
----------------	------	-----	-------	---------	--------	-------	---------



Nissan NV

Max Rack, Double side ladder rack

**Aluminum**

<b>1830-NH</b>	146"	High	72" W	—	139 lbs	24 ft	4.4 hrs
----------------	------	------	-------	---	---------	-------	---------



Nissan NV

Double clamp ladder rack

**Aluminum**

<b>1530-NL3</b>	146"	Low	72" W	600 lbs	63 lbs	32 ft	2.1 hrs
-----------------	------	-----	-------	---------	--------	-------	---------

## RANGER DESIGN MAX RACK

Ranger Design ladder rack make loading and unloading ladders an easy operation

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS

## LADDER RACKS



NISSAN  
NV200



Nissan NV200

Ladder rack accessory

**Aluminum**



<b>1127</b>	115"	Standard	23" W	—	18 lbs	—	0.5 hr
-------------	------	----------	-------	---	--------	---	--------



Nissan NV200

Standard ladder rack

**Aluminum**



<b>1510-NS</b>	115"	Standard	54" W	400 lbs	24 lbs	—	0.9 hr
----------------	------	----------	-------	---------	--------	---	--------



Nissan NV200

Single clamp ladder rack

**Aluminum**



<b>1520-NS</b>	115"	Standard	54" W	400 lbs	32 lbs	24 ft	1.2 hrs
----------------	------	----------	-------	---------	--------	-------	---------



Nissan NV200

Cargo rack

**Aluminum**



<b>1505-NS</b>	115"	Standard	54" W	480 lbs	23 lbs	—	0.8 hr
----------------	------	----------	-------	---------	--------	---	--------



Nissan NV200

Combination ladder rack

**Aluminum**



<b>1525-NS</b>	115"	Standard	54" W	400 lbs	61 lbs	24 ft	1.7 hrs
----------------	------	----------	-------	---------	--------	-------	---------



Nissan NV200

Combination ladder rack

**Aluminum**

<b>1525-NSX</b>	115"	Standard	54" W	450 lbs	52 lbs	28 ft	2.1 hrs
-----------------	------	----------	-------	---------	--------	-------	---------



Nissan NV200

Double clamp ladder rack

**Aluminum**

<b>1530-NS</b>	115"	Standard	54" W	400 lbs	40 lbs	24 ft	1.7 hrs
----------------	------	----------	-------	---------	--------	-------	---------

RAM  
**PROMASTER**

Nissan NV200

Double clamp ladder rack

**Aluminum**

<b>1530-NSX</b>	115"	Standard	54" W	450 lbs	54 lbs	28 ft	2 hrs
-----------------	------	----------	-------	---------	--------	-------	-------



Ram ProMaster

Access Pro, Inside Ladder Carrier

**Aluminum**

<b>1050-FS</b>	118", 136", 159", 159" Ext	Standard, High	96" L	—	9 lbs	—	1 hr
----------------	----------------------------------	-------------------	-------	---	-------	---	------



Ram ProMaster

Ladder rack accessory

**Aluminum**

<b>1127</b>	118", 136", 159", 159" Ext	Standard	23" W	—	18 lbs	—	0.5 hr
-------------	----------------------------------	----------	-------	---	--------	---	--------

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS



Ram ProMaster

Third bar crossbow kit for Max Rack

## Aluminum

<b>15-1805</b>	118", 136", 159", 159" Ext	Standard, High	72" W	200 lbs	10 lbs	—	0.5 hr

118", 136", Standard, 72" W 200 lbs 10 lbs — 0.5 hr

159", High  
159" Ext

Ram ProMaster

Passenger Side Retrofit kit for Max Rack

## Aluminum

<b>15-1810</b>	118", 136", 159", 159" Ext	Standard, High	—	—	57 lbs	—	1.6 hrs

118", 136", Standard, — — 57 lbs — 1.6 hrs

159", High  
159" Ext

Ram ProMaster

Driver Side Retrofit kit for Max Rack

## Aluminum

<b>15-1815</b>	118", 136", 159", 159" Ext	Standard, High	—	—	57 lbs	—	1.6 hrs

118", 136", Standard, — — 57 lbs — 1.6 hrs

159", High  
159" Ext



Ram ProMaster

Cargo rack

## Aluminum

<b>1505-PH</b>	118", 136", 159", 159" Ext	Standard, High	72" W	480 lbs	18 lbs	—	0.8 hr

118", 136", Standard, 72" W 480 lbs 18 lbs — 0.8 hr

159", High  
159" Ext



Ram ProMaster

Cargo rack

## Aluminum

<b>1505-PH3</b>	118", 136", 159", 159" Ext	Standard, High	72" W	720 lbs	42 lbs	—	1.2 hrs

118", 136", Standard, 72" W 720 lbs 42 lbs — 1.2 hrs

159", High  
159" Ext



Ram ProMaster

Standard ladder rack

## Aluminum

<b>1510-PH</b>	118", 136", 159", 159" Ext	Standard, High	72" W	400 lbs	25 lbs	—	0.9 hr

118", 136", Standard, 72" W 400 lbs 25 lbs — 0.9 hr

159", High  
159" Ext



Ram ProMaster

Standard ladder rack

## Aluminum

<b>1510-PH</b>	118", 136", 159", 159" Ext	Standard, High	72" W	400 lbs	25 lbs	—	0.9 hr

118", 136", Standard, 72" W 400 lbs 25 lbs — 0.9 hr

159", High  
159" Ext



Ram ProMaster

Standard ladder rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time
<b>1510-PH3</b>	118", 136", 159", 159" Ext	Standard, High	72" W	—	27 lbs	— 1.2 hrs



Ram ProMaster

Combination ladder rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time
<b>1525-PHS3</b>	118"	Standard	72" W	600 lbs	84 lbs	28 ft 2.1 hrs
<b>1525-PHM3</b>	136"	Standard, High	72" W	600 lbs	85 lbs	32 ft 2.1 hrs
<b>1525-PHL3</b>	159"	High	72" W	600 lbs	81 lbs	32 ft 2.1 hrs
<b>1525-PHX3</b>	159" Ext	High	72" W	600 lbs	81 lbs	32 ft 2.1 hrs



Ram ProMaster

Single clamp ladder rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time
<b>1520-PHS</b>	118"	Standard	72" W	400 lbs	46 lbs	28 ft 1.2 hrs
<b>1520-PHM</b>	136"	Standard, High	72" W	400 lbs	48 lbs	32 ft 1.2 hrs
<b>1520-PHL</b>	159"	High	72" W	400 lbs	43 lbs	32 ft 1.2 hrs
<b>1520-PHX</b>	159" Ext	High	72" W	400 lbs	43 lbs	32 ft 1.2 hrs



Ram ProMaster

Double clamp ladder rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time
<b>1530-PHS</b>	118"	Standard	72" W	400 lbs	60 lbs	28 ft 1.7 hrs
<b>1530-PHM</b>	136"	Standard, High	72" W	400 lbs	61 lbs	32 ft 1.7 hrs
<b>1530-PHL</b>	159"	High	72" W	400 lbs	57 lbs	32 ft 1.7 hrs
<b>1530-PHX</b>	159" Ext	High	72" W	400 lbs	57 lbs	32 ft 1.7 hrs



Ram ProMaster

Combination ladder rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time
<b>1525-PHS3</b>	118"	Standard	72" W	400 lbs	69 lbs	28 ft 1.7 hrs
<b>1525-PHM3</b>	136"	Standard, High	72" W	400 lbs	70 lbs	32 ft 1.7 hrs
<b>1525-PHL3</b>	159"	High	72" W	400 lbs	66 lbs	32 ft 1.7 hrs
<b>1525-PHX3</b>	159" Ext	High	72" W	400 lbs	66 lbs	32 ft 1.7 hrs



Ram ProMaster

Double clamp ladder rack

**Aluminum**

	Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time
<b>1530-PHS3</b>	118"	Standard	72" W	600 lbs	45 lbs	28 ft 2.1 hrs
<b>1530-PHM3</b>	136"	Standard, High	72" W	600 lbs	45 lbs	32 ft 2.1 hrs
<b>1530-PHL3</b>	159"	High	72" W	600 lbs	45 lbs	32 ft 2.1 hrs
<b>1530-PHX3</b>	159" Ext	High	72" W	600 lbs	45 lbs	32 ft 2.1 hrs

**LEGEND**

Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

# LADDER RACKS



Ram ProMaster

Max Rack, Single side ladder rack

## Aluminum

<b>1820-PHS</b>	118"	Standard	72" W	100 lbs	86 lbs	28 ft	3.2 hrs
<b>1820-PHM</b>	136"	Standard, High	72" W	100 lbs	89 lbs	32 ft	3.2 hrs
<b>1820-PHL</b>	159"	High	72" W	100 lbs	90 lbs	32 ft	3.2 hrs
<b>1820-PHX</b>	159" Ext	High	72" W	100 lbs	94 lbs	32 ft	3.2 hrs



Ram ProMaster

Max Rack, Double side ladder rack

## Aluminum

<b>1830-PHS</b>	118"	Standard	72" W	200 lbs	139 lbs	28 ft	4.4 hrs
<b>1830-PHM</b>	136"	Standard, High	72" W	200 lbs	141 lbs	32 ft	4.4 hrs
<b>1830-PHL</b>	159"	High	72" W	200 lbs	143 lbs	32 ft	4.4 hrs
<b>1830-PHX</b>	159" Ext	High	72" W	200 lbs	147 lbs	32 ft	4.4 hrs

## RANGER DESIGN MAX RACK



**PROMASTER CITY**



Ram ProMaster City

Ladder rack accessory

## Aluminum

<b>1127</b>	122"	Standard	23" W	—	18 lbs	—	0.5 hr



Ram ProMaster City

Cargo rack

## Aluminum

<b>1505-PC</b>	122"	Standard	60" W	480 lbs	28 lbs	—	0.8 hr



Ram ProMaster City  
Standard ladder rack

**Aluminum**



<b>1510-PC</b>	122"	Standard	60" W	400 lbs	28.3 lbs	—	0.9 hr
----------------	------	----------	-------	---------	----------	---	--------



Ram ProMaster City  
Combination ladder rack

**Aluminum**



<b>1525-PCX</b>	122"	Standard	60" W	450 lbs	68.9 lbs	28 ft	2.1 hrs
-----------------	------	----------	-------	---------	----------	-------	---------



Ram ProMaster City  
Single clamp ladder rack

**Aluminum**



<b>1520-PC</b>	122"	Standard	60" W	400 lbs	39.5 lbs	24 ft	1.2 hrs
----------------	------	----------	-------	---------	----------	-------	---------



Ram ProMaster City  
Double clamp ladder rack

**Aluminum**



<b>1530-PC</b>	122"	Standard	60" W	400 lbs	52.1 lbs	24 ft	1.7 hrs
----------------	------	----------	-------	---------	----------	-------	---------



Ram ProMaster City  
Combination ladder rack

**Aluminum**



<b>1525-PC</b>	122"	Standard	60" W	400 lbs	64.5 lbs	24 ft	1.7 hrs
----------------	------	----------	-------	---------	----------	-------	---------



Ram ProMaster City  
Double clamp ladder rack

**Aluminum**



<b>1530-PCX</b>	122"	Standard	60" W	450 lbs	61.3 lbs	28 ft	2 hrs
-----------------	------	----------	-------	---------	----------	-------	-------

**LEGEND**



Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time

209

# MAX RACK

DESIGNED FOR HIGH ROOF VANS




**RANGER**  
DESIGN TM

## SAFE & EASY TO USE

### 50" OF TRAVEL

The Max Rack drops lower in one movement than any other rack in the industry.

■ Max Rack  
■ Competitor's rack



- Two pressurized gas shocks support the weight of the ladder, assist in lifting and lowering the ladder and also hold it in the closed position.
- Max Rack is adjustable to fit most ladders.

### LOW PROFILE

There is less chance of the Max Rack hitting low hanging objects.



- Ladders only touch composite materials, reducing ladder wear.
- Comes down in one single motion.

### EXTREME WEATHER PROOF

The Max Rack was put through extreme weather testing.



### CYCLE TESTING

The Max Rack completed over 4300 cycles, which represents approximately 15 years of normal use.


# MAX RACK IS FAST AND EASY TO OPERATE



1

## STEP ONE


With both hands, insert the control arm into the Max Rack.



2

## STEP TWO


Pull the control arm down towards you.



3

## STEP THREE

Turn around. Push the control arm forward.



4

## STEP FOUR

Continue to push the control arm until the Max Rack has finished its descent.

The lowest single stage ladder rack on the market

## RACK CAPACITY



### STEP LADDERS 8' AND 10'

Fits all Max Racks  
Must have the third bar crossbow on the Max Rack



The Max Rack can carry extension ladders for the standard and high roof vans, with a third bar option #15-1805.

Please see each vehicle specific description for height.

The weight capacity per single Max Rack is 100lbs.

# CARGO +

## MAKE THE BEST USE OF ALL OF THE SPACE YOU HAVE AVAILABLE ON YOUR VEHICLE!

Introducing the **Cargo +**, the answer to your equipment transportation needs.

- Manufactured from anodized aluminum alloy
- Aerodynamic crossbars reduce wind noise & drag
- Supplied complete with a full width stainless steel roller
- Anti-rattle connectors & aerodynamic end caps
- Quick & easy assembly, no drilling
- 20G Crash tested (withstands 20 times the force of gravity)

The **Cargo +** is constructed from highly robust aluminum alloy and advanced polymer based composites. These materials make the roof rack incredibly lightweight – up to 25% lighter than yet as strong as a steel equivalent – corrosion resistant and durable. This contemporary design enhances the appearance of any commercial vehicle.

## ENHANCES THE APPEARANCE OF YOUR VEHICLE

The **Cargo +** is the perfect tool for transporting ladders, building materials, pipes and scaffolding.

The **Cargo +** cross bars have been specifically designed to reduce wind noise and drag. The Rear Roller as part of the package of the **Cargo +** is not just a great looking addition to your vehicle, it is also an extra helping hand at the end of a busy day.

LADDER RACKS



COMING MARCH 2019

# CARGO + FEATURES AND BENEFITS

The Rear Roller is constructed from tough and hard wearing stainless steel and attaches easily to the roof rack using our "Anti-Rattle" composite connectors.

The **Cargo +** features T-Track technology which enables quick and easy drill free install.



Aluminum							
		Wheelbase	Roof Height	Dimensions	Weight Capacity	Weight	Estimated Install Time
1506-FTR	FORD TRANSIT	130"	Low	331 lbs	84 lbs	11 ft	0.75 hr
1506-FTL	FORD TRANSIT	148"	Low	331 lbs	82 lbs	11 ft	0.75 hr
1506-TC	FORD TRANSIT CONNECT	120"	Standard	165 lbs	57 lbs	9 ft	0.6 hr
1506-DS	SPRINTER	144"	Low	331 lbs	93 lbs	11 ft	0.75 hr
1506-MM	METRIS	126"	Standard	331 lbs	75 lbs	11 ft	0.75 hr
1506-PHS	PROMASTER	136"	Standard	331 lbs	97 lbs	10 ft	0.75 hr
1506-PC	PROMASTER CITY	122"	Standard	220 lbs	60 lbs	9 ft	0.6 hr



COMING MARCH 2019

**LEGEND**



Wheelbase



Roof Height



Dimensions



Weight Capacity



Weight



Estimated Install Time